

Audi Genuine Accessories®

## Product information on Audi Genuine Accessories®



# Audi A5 Coupé



## Contents page

<b>Sport and design</b> .....	<b>3</b>
Front spoiler with blade .....	3
Rear apron .....	4
Side sills .....	5
Rear spoiler .....	6
Rear diffuser with blade.....	7
Sports tailpipe trims.....	8
Cast aluminium wheel in 15-spoke design.....	9
Cast aluminium winter wheel in 5-arm design .....	10
Cast aluminium wheel in 5-arm hollow-spoke design .....	11
<b>Transport</b> .....	<b>12</b>
Carrier unit.....	12
Towing bracket .....	13
<b>Comfort and safety</b> .....	<b>14</b>
Premium textile floor mats.....	14
Rubber floor mats.....	15
Soft load liner .....	16
Boot liner .....	17
Mud flaps.....	18
Load sill protection film .....	19
Parking aid .....	20

# Sport and design



## Front spoiler with blade

<b>Part number:</b>	Front assembly set 8T0 071 053 9AX
<b>Availability:</b>	Week 05/08
<b>Delivery specification:</b>	In several parts, primed
<b>Material:</b>	PUR
<b>Component weight:</b>	Approx. 2.5 kg
<b>Note on assembly:</b>	Bonded and clipped
<b>Assembly time:</b>	Approx. 150 TU
<b>Painting time:</b>	Approx. 140 TU
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with S line, RS & S models
<b>Colour:</b>	Primed
<b>Product advantages/ customer benefits:</b>	Dynamic, sporty design
<b>Other particular features:</b>	In conjunction with rear spoiler 8T0 071 645 only 9AX: All components primed 3Q0: Blade with carbon look 3Q7: Blade with aluminium look

# Sport and design



## Rear apron

<b>Part number:</b>	Rear assembly set 8T0 071 610 9AX
<b>Availability:</b>	Week 05/08
<b>Delivery specification:</b>	Rear apron in several parts, primed
<b>Material:</b>	PUR
<b>Component weight:</b>	Approx. 1 kg
<b>Note on assembly:</b>	Bonded and clipped
<b>Assembly time:</b>	Approx. 150 TU
<b>Painting time:</b>	Approx. 140 TU
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with S line, RS & S models
<b>Colour:</b>	Primed
<b>Product advantages/ customer benefits:</b>	Dynamic, sporty design

# Sport and design



## Side sills

<b>Part number:</b>	8T0 071 685 9AX
<b>Availability:</b>	Week 05/08
<b>Delivery specification:</b>	Side sills left and right, primed
<b>Material:</b>	PUR
<b>Component weight:</b>	Approx. 3 kg
<b>Note on assembly:</b>	Bonded and bolted
<b>Assembly time:</b>	Approx. 150 TU
<b>Painting time:</b>	Approx. 140 TU
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with RS & S models
<b>Colour:</b>	Primed
<b>Product advantages/ customer benefits:</b>	Dynamic, sporty design

# Sport and design



## Rear spoiler

<b>Part number:</b>	8T0 071 645 9AX
<b>Availability:</b>	Week 05/08
<b>Delivery specification:</b>	One-part
<b>Material:</b>	Integral rigid foam
<b>Component weight:</b>	Approx. 3 kg
<b>Note on assembly:</b>	Bolted
<b>Assembly time:</b>	Approx. 150 TU
<b>Painting time:</b>	Approx. 130 TU
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with RS & S models
<b>Colour:</b>	Primed
<b>Product advantages/ customer benefits:</b>	Dynamic, sporty design

# Sport and design



## Rear diffuser with blade

<b>Part number:</b>	Rear assembly set 8T0 071 620 A 9AX 8T0 071 620 B 9AX
<b>Availability:</b>	Week 05/08
<b>Delivery specification:</b>	In several parts, primed
<b>Material:</b>	PUR
<b>Component weight:</b>	Approx. 2 kg
<b>Note on assembly:</b>	Bonded and clipped
<b>Assembly time:</b>	Approx. 150 TU
<b>Painting time:</b>	Approx. 140 TU
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with S line, RS & S models and towing bracket
<b>Colour:</b>	Primed
<b>Product advantages/ customer benefits:</b>	Dynamic, sporty design
<b>Other particular features:</b>	Index A for exhaust system with tailpipes on left Index B for exhaust system with tailpipes on left/right  9AX: All components primed 3Q0: Blade with carbon look 3Q7: Blade with aluminium look

# Sport and design

## Sports tailpipe trims

<b>Part number:</b>	8K0 071 761
<b>Availability:</b>	Week 01/08
<b>Delivery specification:</b>	Stainless steel trim for all 4-cyl. models
<b>Material:</b>	Stainless steel
<b>Note on assembly:</b>	Trims must be pushed on according to assembly instructions
<b>Assembly time:</b>	Approx. 50 TU
<b>Exclusions (not to be used with ...):</b>	6-cyl. models, S line
<b>Colour:</b>	Stainless steel, polished
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"><li>- Individualisation</li><li>- Striking visual appearance of chrome-plated stainless steel</li></ul>



# Sport and design



## Cast aluminium wheel in 15-spoke design, polished

<b>Part number:</b>	8T0 071 499 1ZL
<b>Availability:</b>	Immediately
<b>Tyres:</b>	255/35 R19 96 Y
<b>Size:</b>	9.0J x 19"; offset 33
<b>Hub cap:</b>	8T0 601 170 A (included in delivery)
<b>Wheel bolts:</b>	Use available standard wheel bolts
<b>Anti-theft wheel bolts:</b>	Part number 4F0 071 455, available separately
<b>Other particular features:</b>	- Polished - Drop centre

# Sport and design



## Cast aluminium winter wheel in 5-arm design

<b>Part number:</b>	8T0 071 497 A 8Z8
<b>Availability:</b>	Immediately
<b>Tyres:</b>	225/50 R17 94H M+S
<b>Size:</b>	7.5J x 17"; offset 28
<b>Hub cap:</b>	8T0 601 170 A (included in delivery)
<b>Wheel bolts:</b>	Use available standard wheel bolts
<b>Anti-theft wheel bolts:</b>	Part number 4F0 071 455, available separately
<b>Other particular features:</b>	Snow chains can be fitted

# Sport and design



## Cast aluminium wheel in 5-arm hollow-spoke design, polished

<b>Part number:</b>	8T0.071.499.A .4EE
<b>Availability:</b>	1st quarter 2008
<b>Tyres:</b>	9.0J x 19"; offset 33
<b>Size:</b>	255/35 R19 96Y
<b>Note on assembly:</b>	Please use special valve with additional union nut when fitting tyres, 1K0 601 361 B
<b>Hub cap:</b>	8T0 601 170 A
<b>Wheel bolts:</b>	Use available standard wheel bolts
<b>Anti-theft wheel bolts:</b>	Part number 4F0 071 455, available separately
<b>Other particular features:</b>	<ul style="list-style-type: none"><li>- Air chamber wheel, polished, unique technology implemented here</li><li>- Cavities in the spokes and the bead seat ensure increased ride comfort</li></ul>

# Transport

## Carrier unit

<b>Part number:</b>	8T0 071 126
<b>Availability:</b>	Week 08/2008
<b>Delivery specification:</b>	1 set of 2
<b>Material:</b>	<ul style="list-style-type: none"><li>- Made from anodised, aerodynamically/symmetrically shaped aluminium profile</li><li>- Support feet, cover flaps and trims made from plastic</li><li>- Mechanism made from galvanised, coated sheet steel</li></ul>
<b>Component weight:</b>	6.0 kg
<b>Can be installed in conjunction with the following parts:</b>	Basis for roof rack modules such as cycle rack, roof box, ski and snowboard rack, canoe rack
<b>Colour:</b>	Silver, black
<b>Weight of pack:</b>	6.8 kg
<b>Dimensions of pack:</b>	1335x255x225 mm
<b>Other particular features:</b>	<ul style="list-style-type: none"><li>- For a max. weight of 50 kg</li><li>- With anti-theft locking device</li><li>- Easy to fit</li><li>- Arm profile with T-groove</li><li>- Audi city crash tested</li></ul>

# Transport

## Towing bracket

<b>Part number:</b>	Removable towing bracket with ball hitch 8T0 092 155 and additionally 13-pin electrical set 8K0 055 204 (with control unit)
<b>Availability:</b>	Immediately
<b>Delivery specification:</b>	Towing bracket with crossmember, ball hitch, fastening material and assembly instructions 13-pin electrical set with socket, control unit, permanent positive supply and installation instructions
<b>Material:</b>	- Steel ball hitch - Chrome 6-free crossmember
<b>Component weight:</b>	Towing bracket 20.0 kg Electrical set 1.3 kg
<b>Max. nose weight:</b>	Nose weight 80.0 kg D value 11.0 kN Towing load according to owner's manual and Audi Service Net
<b>Colour:</b>	Black
<b>Weight of pack:</b>	Towing bracket 20.5 kg Electrical set 1.6 kg
<b>Dimensions of pack:</b>	Towing bracket 1600x600x400 mm Electrical set 230x210x100 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"> <li>- Towing bracket is optimally matched to the geometry of the vehicle</li> <li>- Ball hitch is removable and therefore not visible when no trailer is being towed</li> <li>- The ball hitch is easy to install and remove</li> <li>- The electrical set is optimally matched to the vehicle's BUS system</li> <li>- Control unit bracket available</li> <li>- The length and function of the wiring harness are adapted to the vehicle</li> </ul>
<b>Other particular features:</b>	Spare parts available via Audi Genuine Parts

# Comfort and safety

## Premium textile floor mats

<b>Part number:</b>	8T1 061 275 FKZ for LHD front 8T2 061 275 FKZ for RHD front 8T0 061 276 FKZ for rear (without logo) 8T1 061 270 FKZ 4-piece set for LHD
<b>Availability:</b>	Immediately
<b>Delivery specification:</b>	1 set of 2, optionally 1 set of 4
<b>Material:</b>	Carpet: Durable, tightly woven, tuft velour Edging strip: Nubuck strip, rear coating: Anti-slip tuft Emblem: PVT substrate material, embroidery: Sewing yarn
<b>Note on assembly:</b>	2-point fastening, at the standard fastening points
<b>Colour:</b>	Black carpet, with silver-grey Nubuck trim strip and silver-grey lettering, black stitching (colour code MNO)
<b>Component weight:</b>	LHD: 1.0 kg RHD: 0.9 kg Rear: 0.5 kg
<b>Size or dimensions:</b>	LHD: 770x540x17 mm RHD: 750x540x17 mm Rear: 365x540x17 mm
<b>Weight of pack:</b>	LHD: 1.15 kg RHD: 1.05 kg Rear: 0.65 kg
<b>Dimensions of pack:</b>	LHD: 920x540x17 mm RHD: 900x540x17 mm Rear: 515x540x17 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"> <li>- An eye-catching feature in the vehicle</li> <li>- With silver-grey lettering for the vehicle model</li> <li>- With silver-grey Nubuck edging strip</li> <li>- High-quality, durable, tightly woven velour (= even higher pile weight than standard textile floor mats) for better and longer footwell protection</li> <li>- Precise fit, secure, non-slip connection to vehicle floor thanks to special rear coating</li> </ul>

# Comfort and safety

## Rubber floor mats

<b>Part number:</b>	8T1 061 501 FKZ for LHD front 8T2 061 501 FKZ for RHD front 8T0 061 511 FKZ for rear (without logo)
<b>Availability:</b>	Immediately
<b>Delivery specification:</b>	1 set of 2
<b>Component weight:</b>	LHD: 3.3 kg RHD: 3.2 kg Rear: 1.55 kg
<b>Size or dimensions:</b>	LHD: 770x540x17 mm RHD: 750x540x17 mm Rear: 365x540x17 mm
<b>Colour:</b>	Black, grey (colour codes 041 black and 528 grey)
<b>Material:</b>	Pollutant-free rubber mixture
<b>Weight of pack:</b>	LHD: 3.45 kg RHD: 3.35 kg Rear: 1.7 kg
<b>Dimensions of pack:</b>	LHD: 920x540x17 mm RHD: 900x540x17 mm Rear: 515x540x17 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"> <li>- With lettering for the vehicle model</li> <li>- Durable and low-emission</li> <li>- Better and longer-lasting protection of the footwell, especially from wetness</li> <li>- Easy to clean</li> <li>- Precise fit</li> </ul>

# Comfort and safety

## Soft load liner

**Part number:** 8T0 061 160

**Availability:** Immediately

**Delivery specification:** 1 unit

**Material:** PE foam

**Size or dimensions:** 1006x1070x50 mm

**Component weight:** 0.5 kg

**Colour:** Anthracite

**Weight of pack:** 0.55 kg

**Dimensions of pack:** 1006x1070x50 mm

**Product advantages/  
customer benefits:**

- Suitable for the Audi A4 and Audi A5
- Surrounding edge protects the luggage compartment floor against soiling and wetness
- Integrated diamond pattern prevents the load from slipping
- Can be rolled up and stored to save space
- Precise fit



# Comfort and safety

## Boot liner

**Part number:** 8K5 061 180

**Availability:** Week 01/08

**Delivery specification:** 1 unit

**Material:** PE soft

**Size or dimensions:** 1002x1073x50 mm

**Component weight:** 2.0 kg

**Colour:** Anthracite

**Weight of pack:** 2.05 kg

**Dimensions of pack:** 1002x1073x50 mm

**Product advantages/  
customer benefits:**

- Also suitable for the Audi A4
- Surrounding edge protects the luggage compartment floor against soiling and wetness
- Watertight and acid-resistant
- Integrated diamond pattern prevents the load from slipping
- Precise fit

# Comfort and safety

## Mud flaps

<b>Part number:</b>	8T0 075 111 front 8T0 075 101 rear
<b>Availability:</b>	Immediately
<b>Delivery specification:</b>	1 set of 2, bolts are enclosed
<b>Material:</b>	Rubber
<b>Component weight:</b>	0.7 kg
<b>Exclusions (not to be used with ...):</b>	Not in conjunction with S line, RS & S models
<b>Colour:</b>	Matt black
<b>Weight of pack:</b>	1.5 kg
<b>Dimensions of pack:</b>	380x90x290 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"><li>- Protect the underbody, bumper and rear end of the vehicle against high levels of dirt</li><li>- Stone impact is reduced</li><li>- Splash water spray is minimised</li></ul>

# Comfort and safety

## Load sill protection film

<b>Part number:</b>	8T0 061 197
<b>Availability:</b>	Immediately
<b>Delivery specification:</b>	Complete with installation material and instructions
<b>Material:</b>	Plastic film
<b>Component weight:</b>	0.3 kg
<b>Note on assembly:</b>	Bonding
<b>Colour:</b>	Transparent
<b>Weight of pack:</b>	0.7 kg
<b>Dimensions of pack:</b>	300x110x110 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"><li>- Precisely fitting load sill protection consisting of scratch-resistant and transparent film</li><li>- Reliably protects the bumper against damage and scratching when loading and unloading</li></ul>

# Comfort and safety

## Parking aid

<b>Part number:</b>	8T0 054 630
<b>Availability:</b>	Week 01/08
<b>Delivery specification:</b>	Control unit, four sensors, sound generator, connecting lead, fastening material, installation and operating instructions
<b>Component weight:</b>	0.44 kg
<b>Note on assembly:</b>	<ul style="list-style-type: none"><li>- Sensors can be painted over</li><li>- No cables in the front area of the vehicle</li></ul>
<b>Assembly time:</b>	260 TU
<b>Weight of pack:</b>	1.0 kg
<b>Dimensions of pack:</b>	230x155x80 mm
<b>Product advantages/ customer benefits:</b>	<ul style="list-style-type: none"><li>- Facilitates parking thanks to the acoustic warning function</li><li>- Distance measurement via four ultrasonic sensors</li><li>- Integrated discreetly into the bumper</li></ul>
<b>Other particular features:</b>	<ul style="list-style-type: none"><li>- The parking aid is activated when reverse gear is engaged</li><li>- The distance from an obstacle is indicated by constantly decreasing intervals</li><li>- Also suitable for the Audi A4</li></ul>